Shoulder 好达

SHOULDER ELECTRONICS LIMITED

CERAMIC FILTER Data Sheet

PRODUCT 产品: CERAMIC FILTER

MODEL NO型号: LTU(W)C 455

PREPARED编制: Fengyu

CHECKED 审 核: York


APPROVED 批 准: Lijiating

DATE 日期: 2008-01-25

1. LTUC 455 SERIES

Part	Center	Insertion	Ripple	6dB	40dB	Stop Band Att.	I/O
Number	Frequency	Loss	max	Bandwidth	Bandwidth	fo±10 KHz	Impedance
		min		min	max	min	
	(KHz)	(dB)	(dB)	(KHz)	(KHz)	(dB)	(Ohm)
LTUC455D	455±1.5	4	$2.0(\text{fn}\pm7.0 \text{ KHz})$	±10.0	±20.0	27	1500
LTUC455E	455±1.5	6	$2.0(\text{fn}\pm 5.5 \text{ KHz})$	±7.5	±15.5	27	1500
LTUC455F	455±1.5	6	2.0(fn±4.5 KHz)	±6.0	±12.5	27	1500
LTUC455G	455±1.5	6	2.0(fn±3.5 KHz)	±4.5	±10.0	25	1500


DIMENSION:





2. LTWC 455 SERIES


Part	Center	Insertion	Ripple	6dB	40dB	Stop Band Att.	I/O
Number	Frequency	Loss	max	Bandwidth	Bandwidth	fo±10 KHz	Impedance
		min		min	max	min	
	(KHz)	(dB)	(dB)	(KHz)	(KHz)	(dB)	(Ohm)
LTWC455D	455±1.5	4	$2.0(\text{fn}\pm7.0 \text{ KHz})$	±10.0	±20.0	50	1500
LTWC455E	455±1.5	4	$2.0(\text{fn}\pm 5.5 \text{ KHz})$	±7.5	±15.5	50	1500
LTWC455F	455±1.5	6	2.0(fn±4.5 KHz)	±6.0	±12.5	47	1500
LTWC455G	455±1.5	6	2.0(fn±3.5 KHz)	±4.5	±10.0	47	1500

DIMENSION:









1: INPUT 2: OUTPUT 3 4:GROUND

3. PART NUMBERING: LTUC455D

4. ELECTRONICAL SPECIFICATIONS

A. CENTRE FREQUENCY (f_{\circ}) : 455KHz \pm 1.5KHz. MAX.

B. BAND WIDTH AT 6 dB : ± 10.0 KHz MIN.(TO 455KHz) C. BAND WIDTH AT 40 dB : ± 20.0 KHz MAX.(TO 455KHz)

D. STOP BAND ATTENUATION : 27 dB MIN.(AT f. ± 100 KHz)

E. RIPPLE : 2.0 dB MAX.

F. INSERTION LOSS : 6.0 dB MAX (AT THE SMALLEST LOSS)

G. TEMPRATURE COEFFICIENT

OF CENTER FRENQUENCY : ± 50 PPM/°C Max.(-20 TO +80°C)

H. INPUT/OUTPUT IMPEDANCE : 1.5K Ω

NOTE: A) CENTER FREQUENCY SHALL BE DEFIED AS THE CENTRAL VALUE OF THE BAND WITH AT 6 dB


B) TEMPERATURE COEFFICIENT OF CENTER FREQUENCY SHALL BE DEFINED AS THE AVERAGE OF THE CENTRAL FREQUECY.

5. MEASUREMENT

A. ENVIRONMENTAL CONDITION

MEASUREMENT SHALL BE CARRIED OUT AT THE REFERENCE TEMPERATURE OF $25\,^{\circ}$ C $\pm 2\,^{\circ}$ C. IT SHALL BE POSSIBLY DONE AT $5\,^{\circ}$ CTO $35\,^{\circ}$ CUNLESS IT IS QUESTIONABLE.

B. MEASURING CIRCUIT



Rg+R1=R2=Input/Output Impedance

#S.S.G. (STANDARD SIGNAL GENERATION)

R.F.V.M. (RADIO FREQUENCY VOLTAGE METER)

Rg+R1=R2=1.5 K Ω

C<=50 PF

6. ENVIRONMENTAL CHARACTERISTICS

6-1 HIGH ATURE EXPOSURE

SUBJ FILTER TO +80℃ FOR 96 HOURS. THEN RELEASE THE

FILT THE ROOM CONDITIONS FOR 1 TO 2 HOURS

PRIOR TO THE MEASUREMENT. IT SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-2 MOISTURE

KEEP THE FILTER AT 40°C AND 95% RH FOR 96 HOURS.THEN
RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 1 TO
2 HOURS PRIOR TO THE MEASUREMENT. IT SHALL FULFILL THE
SPECIFICATIONS IN TABLE 1.

6-3 LOW TEMPERATURE EXPOSURE

SUBJECT THE FILTER TO -20°C FOR 96 HOURS. THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 1 TO 2 HOURS PRIOR TO THE MEASUREMENT. IT SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-4 TEMPERATURE CYCLING

SUBJECT THE FILTER TO A LOW TEMPERATURE OF -55 $^{\circ}$ C FOR 30 MINUTES. FOLLOWSING BY A HIGH TEMPERATURE OF +85 $^{\circ}$ C FOR 30 MINUTES. THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 1 TO 2 HOURS PRIOR TO THE MESUREMENT. IT SHALL MEET THE SPECIFICATIONS IN TABLE 1.

6-5 RESISTANCE TO SOLDER HEAT

DIP THE FILTER TERMINALS NO CLOSER THAN 1.5mm INTO THE SOLDER BATH AT 270° C $\pm 10^{\circ}$ C FOR 10 ± 1 SEC. THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 1 TO 2 HOURS. THE FILTER SHALL MEET THE SPECIFICATIONS IN TABLE 1.

6-6 MECHANICAL SHOCK

DROP THE FILTER RANDOMLY ONTO THE CONCRETE FLOOR FROM THE HEIGHT OF 30cm 3 TIMES.THE FILTER SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-7 VIBRATION

SUBJECT THE FILTER TO THE VIBRATION FOR 1 HOUR EACH IN X,Y AND Z AXES WITH THE AMPLITUDE OF 1.5 mm AT 10 TO 55 Hz. THE FILTER SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-8 LEAD FATIGUE

6-8-1 PULLING TEST

WEIGHT ALONG WITH THE DIRECTION OF LEAD WITHOUT AN SHOCK 3 KG. THE FILTER SHALL SATISFY ALL THE INITIAL CHARACTERISTICS.

6-8-2 BENDING TEST

LEAD SHALL BE SUBJECT TO WITHSTAND AGAINST 90° C BENDING IN THE DERECTION OF THICKNESS. THIS OPERATION SHALL BE DONE TOWARD BOTH DIRECTION. THE FILTER SHALL SHOW NO EVIDENCE OF DAMAGE AND SHALLSATISFY

ALL THE INITIAL ELECTRICAL CHARACTERISTICS.


TABLE 1

ITEM	SPECIFICATION
CENTRE FREQUENCY(f。)	455±1.5 KHz Max
BAND WIDTH(6 dB)	±10.0 KHz Min
SELECTIVITY(40dB)	±20.0 KHz Max
STOP BAND ATTENUATION	27 dB Min
RIPPLE	2.0 dB Max
INSERTION LOSS	6.0 dB Max

7. STANDARD REFKOW SOLDERING CONDITIONS

7-1. REFLOW

FILTER IS SOLDERED TWICE WITHIN THE FOLLOWING TEMOERATURE CONDITIONS.




7-2. SOLDERING IRON

ELECTRODE IS DIRECTLY SOLDERED WITH THE TIP OF SOLDERING IRON AT +350 $\pm\,5$ °C

FOR 3.0 ± 0.5 SECONDS.

8. DIMENSIONS OF CARRIER TAPE.

DIMENSIONS OF CARRIER TAPE



9. DIMENSIONS OF REEL

